



■ BASF

We create chemistry

Care
Creations™

The Essentials

Actives for Skin & Hair Care

Beauty Creations – The Passion for Beauty

Content

Actives – Overview by segment 4

Moisturization
Skin surface
Face architecture

Skin color 5

Skin defense
Skin perfection

Sensitive skin 6

Body architecture
Hair care

Overview by tradename from A to Z 8

INCI by tradename from A to Z 28



Actives

Overview by segment

Moisturization

Proper skin hydration helps to prevent aging, irritation, and damage, and is essential for healthy looking skin. Key elements include maintenance and strengthening of physiological barrier function, production of natural moisturizing factors, and stimulation of protective lipids.

- **Barrier function:** repair and proper maintenance of the skin's stratum corneum.
- **Hydration:** proper maintenance of skin's moisturization.

Barrier function

AMC Advanced Moisture Complex NP
Lipofructyl® Argan
Nephdrat®
Oligolin®
Phytosoothe®
Relipidium®
Rambuvital®
Sphingoceryl® VEG

Hydration

Almondermin®
AMC Advanced Moisture Complex NP
Dansonyl®
Dulcemin®
Hyalurosmooth®
Irwinol®
Lipodermol®
Melhydran®
Micropatch® Serine
Patch₂O®
Rambuvital®
Sphingosomes® Moist

Skin surface

The surface of the skin is the most approached part of the daily beauty routine because men and women of all ages wish for perfect, smooth skin. BASF offers a wide range of ingredients that resurface, lift, and reduce the appearance of fine lines and wrinkles.

- **Anti-wrinkle:** the number one concern amongst consumers is to reduce the appearance of fine lines and wrinkles.
- **Lifting / Tightening:** consumers are looking for immediate benefits, therefore instant lifting and tightening are crucial.
- **Resurfacing:** improving the appearance of the surface of the skin involves activities both above and below the surface, including proper exfoliation (without irritation) and improving epidermal thickness, cohesion and renewal.

Anti-wrinkle

Ciste'M®
Collalift®18
Deliner®
Epigenist®
Hyalufix® GL
Hyaluronic Filling Spheres®
Linefactor® C
Lox-Age®
Myoxinol®
Nephoria®
Neurobiox®
Perlaura®
Replexium™
Shadownyl®
Speci'Men®
Ultra Filling Spheres®
Vit-A-Like®

Lifting / Tightening

Quicklift®
Vegeseryl® HGP

Resurfacing

AH-Care®
Ciste'M®
Collalift®18
Cylasphere® Retinol
Deliner®
Lipodermol®
Lox-Age®
Neurobiox®
Syniorage®
Vit-A-Like®
X-pressin® C

Face architecture

Over time, skin's strength, resilience, and volume are depleted, so proper structure needs to be restored. Sculpt and define facial contours, replump skin density, and provide proper structural support for firmness and elasticity.

- **Elasticity & Firming:** targeted action on ECM components (collagen, elastin, GAGs, and other proteins) for improved dermal and DEJ structure.
- **Instant filler:** instant gratification that provides immediate filling of both fine lines and deep wrinkles.
- **Contour & Volume:** global restructuring of the skin matrix for a visible effect.

Elasticity & Firming

Argassential®
Collalift®18
Dansonyl®
Dermican®
Dermagenist®
Elestan®
Eperuline®
Firmiderm®
Linefactor® C
Lys'lastine® V
Nephoria®
Oligolin®
Phytokine®
Proteasyl®
RNAge®
Speci'Men®
Sqisandryl®

Instant filler

Hyaluronic Filling Spheres®
Ultra Filling Spheres®

Contour & Volume

Dermican®
Elestan®
Hyalufix® GL
Lys'lastine® V
Proteasyl®
Replexium®
Slim-Excess®

Skin color

Due to both intrinsic and extrinsic factors, the coloration and discoloration of the skin is a concern throughout most cultures. Asian consumers typically desire an overall lighter skin tone, while Western consumers are looking for radiance and evenness.

- **Brightening:** dark spot removal and illuminating the skin for an overall lighter, brighter appearance.
- **Dark circles/undereye:** one of the top anti-aging consumer concerns are dark circles and undereye puffiness.
- **Radiance:** even tone and flawlessness.

Brightening

Actiwhite®
Cytovector® Ferulic
Dermawhite® WF C
DN-Aura®
Neurobiox®
Radiaskin®

Radiance

AH-Care®
Epigenist®
Hyalurosmooth®
Neurobiox®
Perlaura®
X-pressin® C

Dark circles / undereye

Biophytex®
Flavagrum®
Shadownyl®

Skin defense

The first step in beauty care is protection. Skin must be shielded from aging accelerators such as UV rays, free radicals, enzyme degradation, glycation, and pollution.

- **Anti-oxidant:** free radicals damage cellular functions and metabolic pathways within the skin and must be neutralized to normalize cellular processes and skin health.
- **Anti-pollution:** urbanization and pollution are increasing globally, and studies have shown that this effects the function and appearance of the skin.
- **Glycation & Matrix protection:** protection against the breakdown of skin's structural components to maintain firmness and elasticity and prevent sagging and wrinkles.
- **Photo-aging protection:** UV rays are one of the most damaging external factors that affect the extrinsic aging of the skin and must be addressed through both protection and correction.

Anti-oxidant

Arganyl®
DN-Age®
Litchiderm®
Smartvector® UV-CE

Matrix protection

Arganyl®
Ciste'M®
Dermagenist®
Litchiderm®

Anti-pollution

Arganyl®
Eperuline®
Nephdrat®
Patch₂O®
Purisoft®

Photo-aging protection

Arganyl®
Ciste'M®
DN-Age®
Lys'Sun®
Smartvector® UV-CE

Glycation

Arganyl®
Collrepar® DG
Elestan®

Skin perfection

Under the influence of hormones, diet, and stress, these intrinsic and extrinsic factors can cause the skin to develop irregularities and lose its glow. To correct and prevent the skin from these consequences, one must focus on proper exfoliation, sebum regulation, and purification of proper epidermal flora.

- **Blemish control:** reduce unsightly blemishes for even tone.
- **Oily skin:** regulate the production of sebum for healthy looking skin.
- **Pore refinement:** visibly reduce the appearance of pores for smoother, more radiant skin.
- **Purifying:** balance bacterial flora to reduce the occurrence of blemishes and body odors.

Blemish control

AH-Care®
Biophytex®
Bix'Activ®

Pore refinement

Beta-Hydroxyde® ACSD
Bix'Activ®
Lox-Age®
Mat-XS® Clinical
Neurobiox®
X-pressin® C

Oily skin

Affinisphere®
Bix'Activ®
Mat-XS® Clinical
Sebaryl®

Purifying

Betapur®
Bix'Activ®
Sphingosomes® Moist

Sensitive skin

Globally, approximately 50% of women and 40% of men claim to have sensitive skin. Sensitive skin is characterized by an overreaction to stress, such as temperature changes, detergents, cosmetics (cosmetic intolerance), and more. The adverse reactions are typically divided into objective (visible) symptoms and subjective (sensory) symptoms, such as burning, stinging, itching, and discomfort.

Our cosmetic actives will provide solutions to correct these reactions.

- **Comfort:** improving skin comfort by reducing overreactions that lead to burning and stinging.
- **Inflammation reduction:** inhibition of inflammatory markers that lead to skin irritation.
- **Redness reduction:** visibly mitigating the symptoms of irritation.

<p>Comfort</p> <p>Anasensyl® Inhipase® Irwinol® Skinasensyl® Symbiocell®</p>	<p>Redness reduction</p> <p>Anasensyl® Inhipase® Symbiocell®</p>
<p>Inflammation reduction</p> <p>Anasensyl® Eperuline® Inhipase®</p>	

Body architecture

Like the face, the body undergoes numerous changes that lead to sagging, dimpled, rough, and uneven skin. As we age, we must target these issues to keep our bodies youthful, smooth, and beautiful.

- **Cleavage Remodeling:** reducing the appearance of obvious signs that particularly reveal skin age.
- **Firming:** restoring function of structural components and increasing epidermal thickness for improved firmness and elasticity.
- **Shaping/Sculpting:** reducing the appearance of cellulite for a visible slimming effect.
- **Stretch mark reduction:** minimizing the appearance of stretch marks for smoother skin.

<p>Cleavage Remodeling</p> <p>Lys'lastine® V</p>	<p>Shaping / Sculpting</p> <p>Micropatch® Caffeine Slim-Excess® Sveltine® Sveltine® ST</p>
<p>Firming</p> <p>Firmiderm® Phytokine® Proteasyl® Sveltine® ST</p>	<p>Stretch mark reduction</p> <p>Elestan®</p>

Hair care

Like the rest of the skin, the scalp should be properly treated and maintained, and we now know that a healthy scalp ensures healthy hair. Some key parameters to assure scalp vitality include balance of excess oiliness, protection against damage caused by pollution, beyond dandruff to prevent irritation, and providing anti-aging benefits to reduce hair thinning and loss. The beauty of hair is also a daily quest like a fashion accessory.

- **Beautiful hair:** improves hair volume, hair shine and hair management.
- **Hair growth:** improves hair strength and thickness.
- **Hair prevention:** prolongs the benefits of hair removal treatments.
- **Hair protection:** protects against pollution and UV radiations.
- **Healthy scalp:** reduces itchiness and other symptoms of dandruff.
- **Oil control:** visibly reduces scalp oiliness.

<p>Beautiful hair</p> <p>Almondermin® Cashmilian® Dansonyl® Dulcemin® Hibiscin® LP Hyalurosmooth® Irwinol® Melhydran® Patch₂O® Phytosoothe®</p>	<p>Hair protection</p> <p>Litchiderm® Puricare® Rambuvital®</p>
<p>Hair growth</p> <p>Trichogen® VEG</p>	<p>Healthy scalp</p> <p>DN-Age® Elestab® HP 100 Patch₂O® Phytosoothe® Rambuvital® Sanicapyl®</p>
<p>Hair prevention</p> <p>Pilisoft®</p>	<p>Oil control</p> <p>Asebiol® Bix'Activ® Sebaryl®</p>



Actives

Overview by tradename from A to Z

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary					
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None	Other	Solubility
Actiwhite® Synergistic whitening complex of pea extract and sucrose dilaurate	Natural based skin lightening agent with clinically proven efficacy both on skin and on age spots.				■						LS 9860	■	■	■			■		W	2%
Affinisphere® Microspheres coated by a lipidic layer and filled with zinc gluconate	Microspheres with increased affinity for the lipid-rich areas of the stratum corneum, where they undergo enzymatic digestion and precisely release zinc gluconate in zones containing high concentrations of sebum.										C00465			■			■		W	2%
AHCare® L-65 Mild keratolytic AHA complex of lactic acid and arginine	Exfoliation for all skin types, including problem skin and men's skin with efficacy similar to lactic acid, but with significantly reduced stinging sensation and irritation. Increases cell turnover to reveal younger looking skin.		■		■		■				L-65		■	■			■		W	10%
AHCare® G-60 Mild keratolytic AHA complex of glycolic acid and arginine	Exfoliation for all skin types, including problem skin and men's skin with efficacy similar to glycolic acid, but with significantly reduced stinging sensation and irritation. Increases cell turnover to reveal younger looking skin.		■		■		■				G-60		■	■			■		W	10%
Almondermin® Complex of high MW heteropolysaccharides from almond, marsh mallow and flax	Moisturizes the skin and provides elasticity. Conditioning and protecting effect especially on dry, colored or permed hair.	■	■								AF LS 8767		■	■			■		W	3% (hair)
AMC Advanced Moisture Complex Synergistic complex of effective moisturizers	Intense moisturizing complex with water-binding properties. Immediate and long-term moisturization superior to hyaluronic acid. Strengthening the skin barrier.	■									R11016		■	■			■		W	5%
Anasensyl® Synergistic soothing complex	Decreases skin redness after shaving; the effect is improved with the number of applications. Increases skin's tolerance and reduces its reactivity towards daily stresses.										LS 9322		■	■		■	■		W	1%
Arganyl® Titrated extract of sustainable sourced leaves of the Argan oil tree	Powerful water-soluble anti-oxidant. Counteracts the effect of natural or artificial Blue Light. Specifically tested regarding the protection of skin cells against the deleterious effects of pollutants such as PM2.5 and polycyclic aromatic hydrocarbons (PAH). Inhibits the degradation of collagens by MMPs released under UV exposure. Improves skin firmness and elasticity.										LS 9781		■	■			■		W	3%
						■						LS 9830		■	■		■		W	0.21%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

- No clinical study dosage available; or in *vitro* dosage available only.
- Statement
- Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary			
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None
Argassential® CO ₂ supercritical extract from the pulp of sustainable sourced Argan fruits	Stimulates adipocyte maturation and lipogenesis to plump the skin and increases the lip volume. Boosts collagen I synthesis to densify the dermis and tighten the skin.			■							BC09959		■	■	■		0/W	2%
Asebiol® Sebum controlling complex of vitamins and amino acids	Inhibits 5α-reductase. Visibly reduces the appearance of oiliness and imperfections of the skin. Reduces scalp oiliness.										LS 9853	■	■	■		■	W	5%
Beta-Hydroxyde® ACS D Mild keratolytic AHA complex of salicylic acid coupled to acacia polysaccharides	Exfoliating efficacy. Visibly refines pore size. General perceivable improvement of oily skin while keeping an optimal comfort (clinically proven).										G00011	■	■		■		W	3%
Betapur® Extract of "Wild Mint" stimulating the skin defense	Regulates and balances the skin's bacterial flora through anti-microbial efficacy and activation of beta-defensins synthesis. Visibly reduces pore size, imperfections and the appearance of acne-prone skin.										A00067	■	■	■	■		W	2-4%
Biophytex® Soothing botanical complex rich in saponosides and flavonoids	Boosts microcirculation to improve couperose and dark eye circles.				■	■					LS 9832	■	■	■	■		W	3%
Bix'Activ® Standardized natural extract of the Red Lip Tree (Bixa orellana) seed	Helps to decrease sebum production and hyper-keratinization. Inhibits the virulence of germs triggering inflammation. Skin is mattified, imperfections are visibly reduced and pores are refined.		■			■					BC10050	■	■	■	■		W	0.25%
Cashmilan® Partially hydrolyzed keratin from cashmere wool	Hair-identical protein hydrolysate improving combability and hair tensile strength.										SPB LS 9864	■	■	■		■	W	2%
Ciste'M® Extract of Rockrose, the Vegetal Phoenix to rescue urban skin from multi-light exposure	Helps to protect skin from outdoor and indoor aging accelerators such as UVA, UVB, Blue Light and pollution. Collagen protection against natural or artificial Blue Light. Accelerates skin recovery and epidermal renewal. Helps to reduce wrinkles, fine lines and improves skin texture.		■	■		■					BC10023	■	■	■	■		W	0.1%
Collalift® 18 Extract of the bark of African Mahogany tree	Stimulates the synthesis of collagen XVIII, a multi-functional collagenous proteoglycan occurring in all skin layers. Multi-dimensional anti-ageing action, improving pores and fine lines, minimizing wrinkles and enhancing elasticity.		■	■							BC10014	■	■	■	■		W	1%
Collrepair® DG Deglycation complex of red sage extract and vitamin B3	Decreases skin glycation by breaking existing AGEs. Helps glycated fibroblasts to adapt and react to mechanical stress. Free radical scavenging activity.					■					BC10036	■	■	■	■		W	(3-5%) ⁵

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

⁵ No clinical study dosage available; or in *in vitro* dosage available only.

⁶ Statement

⁷ Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary			
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None
Cylasphere® Retinol Agar microspheres that enable the encapsulation of fragile retinol	Microspheres progressively open by the activity of many different skin enzymes, and gradually release retinol. This slow membrane digestion leads to a slow release of encapsulated retinol, for a better bio-availability, a better efficacy and a more gentle use.		■														W	(0.5-2%) ⁵
Cytovector® Ferulic Positively charged plant liposomes composed of soy lecithin and quaternized soy proteins	Cationic charge of liposomes helps to increase the cell bioavailability of the encapsulated ferulic acid. Reduction of the number and the total surface of pigment spots and increased homogeneity of complexion.				■												W	2%
Dansonyl® Heteropolysaccharides extracted from the leaves of the African Baobab tree	Water-binding, purified mucilages, leaving a protective film on the surface of hair and skin. Improves hair softness, suppleness and ease of combing. Increases skin hydration as well as skin comfort. It protects and reinforces the skin's barrier function.	■															W	2% (hair) 5-10% (skin)
Deliner® Corn extract from the Japanese Hokkaido island	Stimulates fibronectin synthesis, cell migration and proliferation. Activates tissue repair through stimulation of natural healing mechanisms. Reduces wrinkles and redensifies the skin.		■														W	3%
Dermagenist® Marjoram extract improving the collagen network by an epigenetic mechanism	Helps to keep the genetic code readable. Stimulates four crucial steps of collagen synthesis. Revitalizes fibroblasts by boosting intracellular actin fibers. Skin density and skin firmness are improved.			■		■							■		■		W	0.4%
Dermawhite® WF C Skin whitening combination of extracts of white blooming plants	Inhibition of melanin production. Significant reduction of pigmentation within two weeks. Tested on Asian and African volunteers.				■											■	W	2%
Dermican® Synthetic tetrapeptide	Restructuring the extracellular matrix by stimulating the synthesis of lumican and collagen. Improvement of skin thickness and firmness.			■													W	0.9%
														■			W	0.9%
DN-Age® Extract from the leaves of the candle bush	Counteracts the effect of natural or artificial Blue Light. Helps promote the skin's natural DNA repair process. Improves the three major consequences of hair aging by protection of papilla melanocytes and fibroblasts from oxidative stress. Hair graying and hair fall are delayed; re-growing hair is less fragile.					■										■	W	3%
												■		■			W	0.25%
DN-Aura® Extract from the leaves of the Vietnamese Langsat tree.	Reduces the melanin production by melanocytes and helps shrinking pigmented spots.				■											■	W	0.3%
Dulcemin® Purified glycoprotein, extracted from almond seeds	Leaves a protecting film on the skin that improves the moisturization of the stratum corneum. Repairs hair weakened by bleaching, coloring or perming.	■															W	0.13%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary			
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None
Elestab® HP 100 Synthetic antimicrobial	Significant reduction of dandruff. Decrease of scalp itching and hair re-greasing. Sustained effect after end of treatment.								■	HP100	■	■			■	■	W	0.1%
Elestan® Extract of the leaves of the West African Manilkara tree	Protection of collagen and elastin network from enzymatic degradation. Inhibition of protein glycation. Stimulation of synthesis of numerous extracellular matrix elements. Increases skin tonicity, firmness and elasticity. Visible reduction of stretch marks.			■						LS 9913	■			■		■	W	3%
										LS 9879	■			■	■	■	W	0.5%
Eperuline® Extract of the bark of the South American Eperua tree	Effects against age-related chronic micro-inflammation: "inflammaging". Reduces the deleterious effects of outdoor (PM2.5) and indoor pollutants (formaldehyde). Improves skin's mechanical properties as well as its epidermal barrier function.			■		■				LS 9627	■	■	■	■	■	■	W	1%
Epigenist® Aqueous extract of Bambara pea	Boosts the neuritogenesis to restore the epidermal innervation. Increases epidermal thickness and skin radiance. Visibly reduces the appearance of fine lines.		■		■					LS 10003	■	■	■		■	■	W	0.5%
Firmiderm® Synergistic combination of substances and plant extracts from three plants	Reinforces the skin elasticity and tonicity. Provides an anti-age action by a tissular structuring effect and supports micro circulation.			■						LS 9120	■	■		■		■	W	3%
Flavagrum® Stabilized hesperetin from unripe fruits of Citrus sinensis	Powerful tissue draining flavonoid, visibly and intensely diminishing under eye puffiness, 3 hours after the application. Free radical protection against UV induced protein peroxidation. Protection of elastic fibers from enzymatic degradation.					■				A00245	■	■		■	■		W	3%
Hibiscin® LP Hydrolyzed proteins from the seeds of Hibiscus esculentus L.	Good protective and repairing effect on the hair fiber, particularly on damaged hair. Softens and conditions the hair and improves its sensorial properties.								■	LS 9321	■	■		■		■	W	2%
Hyalufix® GL Aqueous extract of Thai ginger leaves	Aqueous extract of sustainable sourced Thai ginger leaves		■	■						A00102	■	■		■		■	W	3%
Hyaluronic Filling Spheres® Dehydrated microspheres made of hyaluronic acid	After application on the skin, the spheres enter the upper skin layers, take up water and swell. This volume increase causes an immediate cushioning effect on wrinkles, and the skin is intensively moisturized.		■	■						C00498	■	■		■		■	O	2%
Hyalurosmooth® Purified polysaccharides from the seeds of Indian senna	Mindfulness for the skin by interrupting the stress cycle. Re-balances cortisol regulators and restores collagen as well as hyaluronic acid synthesis. Increases skin hydration and radiance in a panel of mentally stressed volunteers. Film forming effect on human hair and combability improvement.								■	LS 8998	■	■		■		■	W	3%
									■	LS 8997	■	■			■	■	W	0.06%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary			
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None
Inhipase® Soothing extract of Chinese Kudzu roots	Rich in anti-oxidant flavonoids inhibiting phospholipase A2. Reduces inflammation, erythema, blotchiness and xerosis (dryness) and improves comfort of sensitive skin.						■			A00052	■	■		■		■	W	3%
Irwinol® Wax of the "Wild Mango"	Improves hair volume, brightness and combability specifically of damaged hair (perm, coloration). Protective and moisturizing for lip care.	■							■	LS 9890	■	■	■		■	■	0	1% (hair) 3% (skin)
Linefactor® C Aqueous extract of Hibiscus abelmoschus from Ecuador	Protects the fragile cell messenger FGF-2. Re-densifies the dermis via stimulation of macromolecules synthesis (GAG, collagen) and on epidermal level by stimulation of AQP-3 and flaggrin synthesis. Visible improvement of skin texture, elasticity and wrinkles.		■	■						A00314	■	■		■		■	W	3%
Lipodermol® Stabilized lipidic active ingredient with vitamins	Strengthens the specific protection of the lips and their moisturization, and helps to repair damaged lips.	■	■							LS 9884	■	■		■		■	0	1%
Lipofructyl® Argan Sustainable sourced precious Argan oil	Oil derived from hand-picked kernels, manual crushing and mechanical extraction. Argan oil has been used for centuries by the Moroccan Berber women in order to beautify their skin and hair. Other parts of the argan tree, non-valorized for cosmetic applications before, have been used to develop several additional products of our argan range: Argassential® and Arganyl®.	■							■	LS 9779	■	■	■	■		■	0	(1-3%) ⁵
Litchiderm® Extract of lychee pericarp	Free radical scavenger and MMP inhibitor. Enhancement of skin complexion. Anti-free radical activity on hair.					■			■	LS 9704	■	■		■		■	W	5%
Lox-Age® Aqueous extract of chicory leaves	Stimulates the release of lysyl oxidase (LOX) with a double effect on epidermal and dermal architecture. Helps to decrease wrinkles, to refine pores and to improve skin elasticity.		■				■			A00327	■	■		■		■	W	2%
Lys'lastine® V Aqueous dill extract	Stimulates the release of the enzyme LOXL, improving the structure of elastic fibers in the dermis. Regulates cellular senescence by inhibiting the synthesis of the "ageing protein" progerin and by stimulating the synthesis of the "youth protein" Klotho. Improves elasticity and firmness; reshapes the face contour and contributes to a supple cleavage.			■					■	A00077	■	■		■		■	W	1%
Lys'Sun® Aqueous extract of hamamelis leaves	Helps to delay photo-aging by solar elastosis. Rebalances the expression of lysyl oxidase (LOXL) and elastin under UV exposure. Inhibits the formation of elastotic elafin aggregates.					■				BC10006	■	■		■		■	W	1%
Mat-XS® Clinical Synthetic sarcosine	Specifically inhibits the expression of 5a-reductase type 1. Reduces numerous visible signs of oily skin.						■			A00098	■	■		■		■	W	2%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary			
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None
Melhydran® Extract of natural French honey	Contains several components that also occur in the NMF. Long lasting moisturization of skin and hair.	■							■	LS 9876	■	■	■		■	■	W	5%
Micropatch® Caffeine Caffeine-filled, 3D micro-fleece composed of acacia polysaccharides and alginate	Increases the action time of caffeine and has a reservoir effect.								■	A00081	■	■	■			■	W	(1-3%) ⁵
Micropatch® Serine Serine-filled, 3D micro-fleece composed of acacia polysaccharides and alginate	Immediate hydration capacity as well as persistence for at least 6 hours after a single application.	■								A00244	■	■	■			■	W	2%
Myoxinol® Hydrolyzed hibiscus proteins	Botox-like inhibition of muscle contractions. Smoothing of expression lines and wrinkles.		■							LS 9736	■				■	■	W	1%
Nephoria® Extract from the leaves of sustainable sourced Rambutan	Helps mature skin to rejuvenate through biological pathways like those of retinol. Stimulates both collagen and elastic fibers formation, increasing skin elasticity and reducing wrinkles appearance.			■					■	BC10044	■	■		■ ⁷	■	■	W	0.1%
Nephydrat® Extract from the peel of sustainable sourced Rambutan fruits	Reinforces the skin's water retention capacity, fuels keratinocytes with energy and increases total ceramide synthesis for an optimal skin barrier function.	■								BC10061	■	■		■ ⁷	■	■	W	2%
Neurobiox® Aqueous extract of yarrow organically grown in Europe	Supports cell communication by stimulating the expression of POMC-related receptors. Improves epidermal differentiation and thickness. Accelerates skin renewal, improves skin softness as well as radiance, and visibly reduces the appearance of wrinkles and pores.		■		■	■				BC10097	■	■	■	■ ⁷	■	■	W	2%
Oligolin® Hydrolyzed flax seeds concentrated in oligosaccharides	Hydrates the skin by stimulating the synthesis of GAGs and by inhibiting hyaluronidase. Firms the skin by stimulating dermal fibers synthesis. Supports epidermal cell differentiation.	■		■						BC10028	■	■		■	■	■	W	1%
Patch₂O® Three-dimensional biopolymer network enriched with highly concentrated moisturizing complex	Instant, cumulative and sustained moisture effects for skin, scalp and hair. Restores the cuticle of damaged hair. Reduces the deleterious effects of chemical pollutants such as PM2.5 and PAHs. Anti-particle adhesion effect, enhanced skin purification.	■				■			■	A00297	■	■	■		■	■	W	3% (skin) 2% (scalp) 2% (hair)
Perlaura® Aqueous extract of bistort roots	Stimulates the synthesis of perlecan and dystroglycan in keratinocytes and endothelial cells. Helps strenghtening the skin vascularisation and refines the skin surface. Revives the luminosity of the skin. Visibly smoothes fine lines and wrinkles.		■		■					A00316	■	■	■		■	■	W	1%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary				
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None	Other
Phytokine® Unique biotechnological extract of soy proteins	Smart activation of the synthesis of components of the extracellular matrix (collagen & GAGs). Stimulates epidermal lipids synthesis (barrier cohesion increase). Restructuring, regenerating and firming action.			■					■		A00287	■	■	■		■	■	W	2.2%
Phytosoothe® Soothing rapeseed phytosterols	Helps to accelerate skin repair after impairment of the physical or microbiotic skin barrier. Speeds up the recovery of a healthy microflora after skin barrier damage. Reduces the side effects of ethnic hair treatments on the scalp (itching, tingling and burning). Repairs the hair and makes it smoother and better manageable.	■				■				■	LS 9766	■	■	■ ⁷		■	■	O	3%
Pilisoft® Extract from the leaves of Indian herb Gymnema sylvestre	Effective solution to visibly prolong and enhance the benefits of hair removal treatments. Delays hair re-growth after shaving.										LS 9760		■		■	■	W	1%	
Proteasyl® Unique peptidic purified extract from winter pea	Multiple effects on all skin layers: Stimulation of dermal collagens, GAGs and elastin synthesis; inhibition of elastase. Stabilizes structures of the dermo-epidermal junction by increasing perlecan synthesis. Stimulates the release of syndecan-1 on the epidermal level and inhibits plasmin. Improves skin elasticity and firmness.			■					■		LS 9818	■	■		■		■	W	3%
											LS 8951	■	■		■	■		W	0.2%
Puricare® Solution of the seed extract of the Moringa "miracle tree"	Natural cationic proteins, protecting hair against environmental stresses.										LS 9727	■	■		■		■	W	2%
Purisoft® Solution or concentrated powder of the seed extract of the Moringa "miracle tree"	Natural cationic proteins, protecting skin against pollutants, e. g. cigarette smoke. Anti-particle adhesion effect, enhanced skin purification.					■					LS 9726	■	■		■		■	W	1.5%
											LS 9836	■	■	■	■	■		W	0.03%
Quicklift® Natural sugar polymer	Instant and long-lasting skin tightening; selected as the best candidate for its skin tightening properties among over 400 substances prepared by the cross-linking of different sugars.		■								A00085	■	■		■		■	W	5%
Radianskin® Skin and age spot lightener of synthetic origin	Inhibits melanin release by melanocytes. Reduced UV-B induced damage on human epidermal keratinocytes thanks to a photo-protective and anti-inflammatory effect. Visibly and significantly lightens the skin after 28 days of application similar to best market benchmark. Anti age-spots efficacy on face and hands (Caucasian & Asian skin).				■						LS 9918				■	■	W	1%	
Rambuvital® Extract from the seeds of sustainable sourced Rambutan	Protects both the scalp and hair follicles against stress induced by pollution. Enhances the cornified scalp barrier function contributing to water retention. The scalp is hydrated as early from one month on and the hair appears and feels visibly healthier and shinier.	■				■				■	BC10059	■	■	■ ⁷		■	■	W	0.1%
Relipidium® Yeast hydrolysate, biofermented by Lactobacillus strain	Restores the skin barrier by stimulating epidermal lipid synthesis and speeding up its recovery. Helps the skin to defend itself by strengthening the detection of pathogens. Rebalances the skin ecosystem and reduces skin dryness.	■									BC10096	■	■		■	■	W	2%	

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary				
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None	Other
Replexium® Blend of two anti-aging tetrapeptides	Increase of dermal density and visible reduction of three different types of wrinkles on the forehead, the crow's feet and on nasolabial folds.		■	■										■		■		W	2%
																		■	W
RNAge® Flavonol glycoside titrated extract from the seed cake of Sea Buckthorn	Controlling dermal biomechanical properties by epigenetics. Downregulation of a specific microRNA to increase the synthesis of collagen III and V fibers, thus improving dermal density and skin firmness.			■									■		■			W	0.2%
Sanicapyl® Optimized natural complex for scalp care	Effective dandruff reduction comparable to market benchmark. Reduction of scalp oiliness.													■		■		W	1%
Sebaryl® Seboregulation complex	Bio-regulates sebaceous secretion by inhibiting 5α-reductase, and additionally acts on other levels to control sebum production and reduce the shiny appearance of oily skin. Does not cause any reaction such as sebaceous hypersecretion or have a rebound effect						■							■			■	W	3% (scalp) 5% (face)
Shadownyl® Aqueous extract of hand-harvested fucus algae	Stimulates the expression of heme oxygenase type-1 that catabolizes heme (red pigment). Visible reduction of the appearance of dark circles in two weeks and wrinkles in one week only. Anti-oxidant and anti-inflammatory properties.		■		■									■		■		W	2%
Shadownyl® Clear Aqueous extract of hand-harvested fucus algae, improved in color and odor	Stimulates the expression of heme oxygenase type-1 that catabolizes heme (red pigment). Visible reduction of the appearance of dark circles in two weeks and wrinkles in one week only. Anti-oxidant and anti-inflammatory properties.		■		■									■		■		W	2%
Skinasensyl® Synthetic tetrapeptide	Specifically designed to soothe sensitive skin. Inhibits the release of the neuro-mediator CGRP from sensory neurons. Increases the skin tolerance threshold.						■							■		■		W	3%
															■		■		W
Slim-Excess® Red Seaweed hydrolysate	Blocking spermine and spermidine, two polyamines playing a key role in lipogenesis and fat storage. Tightens face and body contours and improves cheek sagging. Can help to reduce the appearance of double chin.			■										■		■		W	2% (face) 3% (body)
Smartvector® UV-CE Microcapsules with vitamins, coated by a UV sensitive surface cover	Release of a highly effective anti-oxidant blend of vitamins C and E under UV exposure.					■								■		■		W	1%
Speci'Men® Hydro-glycerin extract of baobab leaves sustainable sourced from Burkina Faso	Inhibits the expression of MMP-12 involved in breakage of the fibrillin-versican-hyaluronan network that stabilizes the dermal architecture. Improves skin visco-elasticity and tonicity and reduces the nasogenian fold depth. Decreases eyebag volume and the slackening of the lower eyelid.		■	■										■		■		W	3%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *in vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary			
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None
Sphingoceryl® VEG Optimized lipocomplex of ceramides, glycolipids and phospholipids from sunflower	Strengthens the skin barrier and repairs the skin microrelief. Protects dyed hair from color fading by washing and improves combability.	■							■	LS 9948	■	■	■		■	■	0	5%
Sphingosome® Moist Micellar solution combining biomimetic lipophilic and hydrophilic active ingredients	Improves skin cleansing and make-up removal.	■					■			LS 9871	■	■	■			■	W	5%
Sqisandryl® CO ₂ supercritical extract of the Chinese "five-flavor berry" Shisandra	Shisandra is one of the 50 most important plant in Chinese herbal medicine (TCM). The eco-friendly processed berry extract stimulates cell energy and metabolism; protects against oxidation and pollution stress. Strong skin elasticity improvement and toning effect.			■						LS 9905		■	■	■			0	0.3%
Sveltine® Plant liposomes coated by a matrix of marine collagen and glycosaminoglycans	Reduction of thigh circumference by activation of intracellular cAMP synthesis.							■		L00126	■	■	■				W	3%
Sveltine®ST Hydroalcoholic extract of Purple Loosestrife	Inhibits the maturation of fat cells and reduces the hypodermis thickness. Remodeling of the thighs; push-up effect on the buttock.							■		BC10032	■	■	■	■			W	0.25%
Symbiocell® Aqueous extract from the leaves of Cestrum latifolium from French Guyana	Pro-tolerance ingredient for sensitive skin. Modulates the activity of immuno-competent dendritic cells. Restores skin comfort and reduces redness.						■			BC10015		■	■				W	1%
Syniorage® Synthetic tetrapeptide	Stimulates the synthesis of syndecan-1 in the epidermis and collagen XVII in the dermo-epidermal junction. Improves skin firmness and elasticity. Specifically tested on senior volunteers >60 years.		■							LS 9847		■		■			W	1%
Trichogen® VEG Anti-hair loss optimized complex	Hair growth stimulator increasing the A/T ratio.							■		LS 9922	■	■	■			■	W	10%
Ultra Filling Spheres® Dehydrated microspheres made of hyaluronic acid and glucomannan	After application on the skin, the spheres enter the upper skin layers, take up water and swell. This volume increase causes an immediate cushioning effect on wrinkles, and the skin is intensively moisturized.		■	■						C00487		■	■				0	2%
Vegeceryl® HGP Native high molecular weight soy proteins	Anti-wrinkle and skin tightening effect. Improves skin elasticity and suppleness.		■							LS 9874	■	■	■				W	10%

SOLUBILITY W=Water / O=Oils

- Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

Product name Description	Properties	Actives segment								Reference	Asia Focus Registration			Cosmos Statement ⁶	Technical data summary				
		Moisturization	Skin surface	Face architecture	Skin color	Skin defense	Skin perfection	Sensitive skin	Body architecture		Hair care	QD Additive ¹	IECSC 2013 ²		IECIC 2015 ³	Liquid	Powder	None	Other
Vitacell® Vitalizing yeast extract	Regenerates epidermal ATP. Stimulates cellular metabolism by optimizing oxygen uptake.				■						LS 7979	■	■			■		W	2%
Vit-A-Like® Aqueous extract of seeds of Indian Moth bean	Botanical alternative to retinol with high tolerance and stability. Stimulation of cellular renewal and collagen synthesis. Anti-wrinkle effect.		■								LS 9793	■	■		■			W	5%
											LS 9898	■	■		■	■		W	0.4%
X-pressin® C Stabilized protease isolated from the latex of papaya	Mild enzymatic exfoliation for all skin types with significantly reduced stinging sensation and irritation. Increases cell turnover to reveal younger looking skin.		■		■		■				R11021		■		■			W	1%

SOLUBILITY W=Water / O=Oils

- 1 Compliance of all the ingredients with Japanese Standard of Quasi-Drug Ingredients (JSQI)
- 2 CAS number whether or not listed or exempted in "Inventory of Existing Chemical Substances in China" (IECSC 2013)
- 3 INCI name listed in "Inventory of Existing Cosmetic Ingredient in China 2015" (IECIC 2015)
- 4 Dosage in clinical test formulations.

5 No clinical study dosage available; or in *vitro* dosage available only.

6 Statement

7 Approval pending

Approved: raw material conform to COSMOS standard of natural and Organic Cosmetics

® Registered trademark of BASF in several countries

INCI

By tradename from A to Z

Product Name	Aspect	Description	INCI Name
Actiwhite® PW LS 9860	Powder	Synergistic whitening complex of pea extract and sucrose dilaurate	Maltodextrin (and) Sucrose Dilaurate (and) Sodium Cocoyl Glutamate (and) Pisum Sativum (Pea) Extract
Affinisphere® C00465	Liquid	Microspheres coated by a lipidic layer and filled with zinc gluconate	Water (and) Butylene Glycol (and) Xanthan Gum (and) Sodium Stearate (and) Atelocollagen (and) Zinc Gluconate (and) Sodium Hyaluronate (and) Sodium Chloride
AH-Care® L-60	Liquid	Mild keratolytic AHA complex of glycolic acid and arginine	Water (and) Glycolic Acid (and) Arginine
AH-Care® L-65	Liquid	Mild keratolytic AHA complex of lactic acid and arginine	Water (and) Lactic Acid (and) Arginine
Almondermin® AF LS 8767		Complex of high MW heteropolysaccharides from almond, marsh mallow and flax	Water (and) Linum Usitatissimum Seed Extract (and) Xanthan Gum (and) Althaea Officinalis Root Extract (and) Prunus Amygdalus Dulcis Fruit Extract
AMC Advanced Moisture Complex R11016	Liquid	Synergistic complex of effective moisturizers	Glycerin (and) Water (and) Sodium PCA (and) Urea (and) Trehalose (and) Hexylene glycol (and) Polyquaternium-51 (and) Triacetin (and) Caprylyl Glycol (and) Sodium Hyaluronate
Anasensyl® LS 9322	Powder	Synergistic soothing complex	Mannitol (and) Ammonium Glycyrhizate (and) Caffeine (and) Zinc Gluconate (and) Aesculus Hippocastanum Seed Extract
Arganyl® LS 9781	Liquid	Titrate extract of sustainable sourced leaves of the Argan oil tree	Water (and) Glycerin (and) Argania Spinosa Leaf Extract
Arganyl® LS 9830	Powder	Titrate extract of sustainable sourced leaves of the Argan oil tree	Argania Spinosa Leaf Extract (and) Maltodextrin
Argassential® BC09959	Liquid	CO2 supercritical extract from the pulp of sustainable sourced Argan fruits	Argania Spinosa Fruit Extract (and) Dicaprylyl Ether (and) Sorbitol (and) Polyglyceryl-2 Dipolyhydroxystearate (and) Lauryl Glucoside (and) Glycerin (and) Water
Asebiol® LS 9853	Liquid	Sebum controlling complex of vitamins and amino acids	Water (and) Pyridoxine HCl (and) Niacinamide (and) Glycerin (and) Panthenol (and) Hydrolyzed Yeast Protein (and) Threonine (and) Allantoin (and) Biotin
Beta-Hydroxyde® ACSD G00011	Powder	Mild keratolytic AHA complex of salicylic acid coupled to acacia polysaccharides	Salicylic Acid (and) Acacia Senegal Gum
Betapur® A00067	Liquid	Extract of "Wild Mint" stimulating the skin defense	Water (and) Butylene Glycol (and) Peumus Boldus Leaf Extract (and) Pentylene Glycol (and) Xanthan Gum
Biophytex® LS 9832	Liquid	Soothing botanical complex rich in saponosides and flavonoids	Water (and) Butylene Glycol (and) Panthenol (and) Escin (and) Glycerin (and) Ruscus Aculeatus Root Extract (and) Am monium Glycyrhizate (and) Centella Asiatica Leaf Extract (and) Hydrolyzed Yeast Protein (and) Calendula Officinalis Flower Extract

Product Name	Aspect	Description	INCI Name
Bix'Activ® BC10050	Liquid	Standardized natural extract of the Red Lip Tree (Bixa orellana) seed	Maltodextrin (and) Bixa orellana Seed Extract
Cashmilan® SPB LS 9864	Liquid	Partially hydrolyzed keratin from cashmere wool	Water (and) Hydrolyzed Keratin
Ciste'M® BC10023	Powder	Titrate extract from the aerial part of Rockrose (Cistus monspeliensis)	Maltodextrin, Cistus Monspeliensis Flower/Leaf/Stem Extract
Collalift®18 BC10014	Liquid	Extract of the bark of African Mahogany tree	Glycerin (and) Water (and) Khaya Senegalensis Bark Extract (and) Maltodextrin
Collrepair® DG BC10036	Liquid	Deglycation complex of red sage extract and vitamin B3	Water (and) Niacinamid (and) Glycerin (and) Caprylyl Glycol (and) Xanthan Gum (and) Salvia Miltiorrhiza Leaf Extract
Cylasphere® Retinol C00479	Liquid	Agar microspheres that enable the encapsulation of fragile retinol	Water (and) Butylene Glycol (and) Retinol (and) Pentylene Glycol (and) Carbomer (and) Glycine Soja Oil (and) Tocopherol (and) Acacia Senegal (and) Propylene Glycol (and) Alginate
Cytovector® Ferulic L00018	Liquid	Positively charged plant liposomes composed of soy lecithin and quaternized soy proteins	Water (and) Butylene Glycol (and) Lecithin (and) Ferulic Acid (and) Laurdimonium Hydroxypropyl Hydrolyzed Soy Protein (and) Hydroxyethylcellulose
Dansonyl® LS 9715	Liquid	Heteropolysaccharides extracted from the leaves of the African Baobab tree	Hydrolyzed Adansonia Digitata Extract
Deliner® A00199	Liquid	Corn extract from the Japanese Hokkaido island	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Zea Mays (Corn) Kernel Extract (and) Xanthan Gum
Dermagenist® BC10004	Powder	Aqueous extract of Marjoram (Origanum majorana) leaves	Maltodextrin (and) Origanum Majorana Leaf Extract
Dermawhite® WF C BC10046	Liquid	Skin whitening combination of extracts of white blooming plants	Water (and) Tartaric Acid (and) Disodium EDTA (and) Sodium Sulfite (and) Sodium Metabisulfite (and) Glycerin (and) Butylene Glycol (and) Saxifraga Sarmientosa Extract (and) Carica Papaya (Papaya) Fruit Extract (and) Psidium Guajava Fruit Extract
Dermican® LS 9837	Liquid	Synthetic tetrapeptide	Glycerin (and) Water (and) Acetyl Tetrapeptide-9
Dermican® LS 9838	Powder	Synthetic tetrapeptide	Mannitol (and) Acetyl Tetrapeptide-9
DN-Age® LS 9547	Liquid	Extract from the leaves of the candle bush	Water (and) Glycerin (and) Cassia Alata Leaf Extract

Product Name	Aspect	Description	INCI Name
DN-Age® PW LS 9827	Powder	Extract from the leaves of the candle bush	Cassia Alata Leaf Extract (and) Maltodextrin
DN-Aura® BC10011	Powder	Extract from the leaves of the Vietnamese "Langsat" tree.	Maltodextrin (and) Lansium Domesticum Leaf Extract
Dulcemin® PW BIO LS 9903	Powder	Purified glycoprotein, extracted from seeds of Prunus amygdalus var. dulcis L.	Prunus Amygdalus Dulcis Protein
Elestab® HP 100	Powder	Synthetic antimicrobial	Hexamidine Diisethionate
Elestan® LS 9913	Liquid	Extract of the leaves of the West African Manilkara tree	Glycerin (and) Manilkara Multinervis Leaf Extract (and) Water
Elestan® LS 9879	Powder	Extract of the leaves of the West African Manilkara tree	Manilkara Multinervis Leaf Extract (and) Maltodextrin
Eperuline® LS 9627	Powder	Extract of the bark of the South American Eperua tree	Maltodextrin (and) Eperua Falcata Bark Extract
Epigenist® LS 10003	Powder	Aqueous extract of Bambara pea	Maltodextrin (and) Voandzeia Subterranea Seed Extract
Firmiderm® LS 9120	Liquid	Synergistic combination of substances and plant extracts from three plants	Terminalia Catappa Leaf Extract (and) Sambucus Nigra Flower Extract (and) PVP (and) Tannic Acid
Flavagrum® A00245	Liquid	Stabilized hesperetin from unripe fruits of Citrus sinensis	PEG-6 Isostearate (and) Hesperitine Laurate
Hibiscin® LP LS 9321	Liquid	Hydrolyzed proteins from the seeds of Hibiscus esculentus L	Hydrolyzed Hibiscus Esculentus Extract
Hyalufix® GL A00102	Liquid	Aqueous extract of sustainable sourced Thai ginger leaves	Water (and) Butylene Glycol (and) Alpinia Galanga Extract (and) Pentylene Glycol (and) Xanthan Gum (and) Caprylic/Capric Triglyceride
Hyaluronic Filling Spheres® C00498	Liquid	Dehydrated microspheres made of hyaluronic acid	Ethylhexyl Palmitate (and) Trihydroxystearin (and) Sodium Hyaluronate
Hyalurosmooth® LS 8998	Liquid	Purified polysaccharides from the seeds of Indian senna	Water (and) Cassia Angustifolia Seed Polysaccharide
Hyalurosmooth® LS 8997	Powder	Purified polysaccharides from the seeds of Indian senna	Cassia Angustifolia Seed Polysaccharide

Product Name	Aspect	Description	INCI Name
Inhipase® A00052	Liquid	Soothing extract of Chinese Kudzu roots	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Pueraria Lobata Root Extract
Irwinol® LS 9890	Powder	Wax of the "Wild Mango"	Octyldodecanol (and) Irvingia Gabonensis Kernel Butter (and) Hydrogenated Coco-Glycerides
Linefactor® C A00314	Liquid	Aqueous extract of Hibiscus abelmoschus from Ecuador	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Hibiscus Abelmoschus Extract (and) Xanthan Gum
Lipodermol® LS 9884	Liquid	Stabilized lipidic active ingredient with vitamins	Octyldodecanol (and) Lecithin (and) Arachidyl Propionate (and) Retinyl Palmitate (and) Tocopherol (and) Ethyl Linolenate (and) Ethyl Linoleate (and) Ethyl Oleate
Lipofructyl® Argan LS 9779	Liquid	Precious oil of Moroccan fair trade Argan oil tree kernels	Argania Spinosa Kernel Oil
Litchiderm® LS 9704	Liquid	Extract of lychee pericarp	Butylene Glycol (and) Litchi Chinensis Pericarp Extract
Lox-Age® A00327	Liquid	Aqueous extract of chicory leaves	Water (and) Cichorium Intybus (Chicory) Leaf Extract (and) Hexylene Glycol (and) Caprylyl Glycol (and) Xanthan Gum
Lys'lastine® V A00077	Liquid	Aqueous dill extract	Water (and) Butylene Glycol (and) Peucedanum Graveolens (Dill) Extract (and) Pentylene Glycol (and) Xanthan Gum
Lys'Sun® BC10006	Liquid	Aqueous extract of hamamelis leaves	Water (and) Hamamelis Virginiana (Witch Hazel) Leaf Extract (and) Pentylene Glycol (and) Caprylyl Glycol (and) Xanthan gum
Mat-XS® Clinical A00098	Liquid	Synthetic sarcosine	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Sarcosine (and) Xanthan Gum
Melhydran® LS 9876	Liquid	Extract of natural French honey	Water (and) Butylene Glycol (and) Honey Extract (and) Glycerin (and) Urea (and) Sodium Lactate (and) Arginine HCl (and) Lysine HCl (and) Ornithine HCl
Micropatch® Caffeine A00081	Liquid	Caffeine-filled, 3D micro-fleece composed of acacia polysaccharides and alginate	Water (and) Salicylic Acid (and) Caffeine (and) Butylene Glycol (and) Propylene Glycol Alginate (and) Acacia Senegal
Micropatch® Serine A00244	Liquid	Serine-filled, 3D micro-fleece composed of acacia polysaccharides and alginate	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Algin (and) Acacia Senegal (and) Serine
Myoxinol® LS 9736	Powder	Hydrolyzed hibiscus proteins	Hydrolyzed Hibiscus Esculentus Extract (and) Dextrin
Nephoria® BC10044	Powder	Extract from the leaves of Rambutan	Maltodextrin (and) Nephelium Lappaceum Leaves Extract

Product Name	Aspect	Description	INCI Name
Nephydrat® BC10061	Liquid	Extract from the peel of Rambutan fruits	Glycerin (and) Nephelium Lappaceum Peel Extract
Neurobiox® BC10097	Liquid	Aqueous extract of yarrow organically grown in Europe	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Achillea Millefolium Extract (and) Xanthan Gum
Oligolin® BC10028	Powder	Hydrolyzed flax seeds concentrated in oligosaccharides	Hydrolyzed Linseed Extract
Patch₂O® A00297	Liquid	Three-dimensional biopolymer network enriched with highly concentrated moisturizing complex	Water (and) Glycerin (and) Trehalose (and) Urea (and) Serine (and) Pentylene Glycol (and) Glyceryl Polyacrylate (and) Algin (and) Caprylyl Glycol (and) Sodium Hyaluronate (and), Pullulan (and) Disodium Phosphate (and) Potassium Phosphate
Perlaura® A00316	Liquid	Aqueous extract of bistort roots	Water (and) Polygonum Bistorta Root Extract (and) Hexylene Glycol (and) Caprylyl Glycol (and) Xanthan Gum
Phytokine® A00287	Liquid	Unique biotechnological extract of soy proteins	Hydrolyzed Soy Protein (and) Butylene Glycol (and) Pentylene Glycol (and) 1,2-Hexanediol (and) Caprylyl Glycol
Phytosoothe® LS 9766	Powder	Soothing rapeseed phytosterols	Brassica Campestris (Rapeseed) Sterols (and) Cetearyl Alcohol
Pilisoft® LS 9760	Liquid	Extract from the leaves of Indian herb Gymnema sylvestre	Water (and) Pentylene Glycol (and) Gymnema Sylvestre Leaf Extract
Proteasyl® LS 9818	Liquid	Unique peptidic purified pea extract	Water (and) Glycerin (and) Pisum Sativum (Pea) Extract
Proteasyl® LS 8951	Powder	Unique peptidic purified pea extract	Pisum Sativum (Pea) Extract (and) Cyclodextrin
Puricare® LS 9727	Liquid	Solution of the seed extract of the Moringa "miracle tree"	Water (and) Glycerin (and) Moringa Oleifera Seed Extract
Purisoft® LS 9836	Powder	Concentrated seed extract of the Moringa "miracle tree"	Moringa Oleifera Seed Extract (and) Dextrin
Purisoft® LS 9726	Liquid	Solution of the seed extract of the Moringa "miracle tree"	Water (and) Glycerin (and) Moringa Oleifera Seed Extract
Quicklift® A00085	Liquid	Natural sugar polymer	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Sodium Bicarbonate (and) Xanthan Gum Crosspolymer (and) Hydroxyethylcellulose
Radianskin® LS 9918	Powder	Skin and age spot lightener of synthetic origin	Hydroxyphenoxy Propionic Acid

Product Name	Aspect	Description	INCI Name
Rambuvital® BC10059	Powder	Extract from the seeds of Rambutan	Maltodextrin (and) Nephelium Lappaceum Seed Extract
Relipidium® BC10096	Liquid	Yeast hydrolysate, biofermented by Lactobacillus strain	Hydrolyzed Yeast Protein (and) Butylene Glycol (and) Pentylene Glycol
Replexium® PW BC10082	Powder	Blend of two anti-aging tetrapeptides	Mannitol (and) Acetyl Tetrapeptide-11 (and) Acetyl Tetrapeptide-9
Replexium® BC10091	Liquid	Blend of two anti-aging tetrapeptides	Dimethyl Isosorbide (and) Polysorbate 20 (and) Water (and) Acetyl Tetrapeptide-11 (and) Acetyl Tetrapeptide-9
RNAge® BC10054	Powder	Flavonol glycoside titrated extract from the seed cake of Sea Buckthorn	Maltodextrin (and) Hippophae Rhamnoides Kernel Extract
Sanicapyl® BC10030	Liquid	Optimized natural complex for scalp care	Butylene Glycol (and) Sodium Lauroyl Lactylate (and) Sodium Caprylyl lactylate (and) Piper Nigrum Fruit Extract (and) Inga Alba Bark Extract
Sebaryl® FL LS 9088	Liquid	Seboregulation complex	Water (and) Niacinamide (and) Faex Extract (and) Aesculus Hippocastanum Seed Extract (and) Ammonium Glycyrhizate (and) Panthenol (and) Propylene Glycol (and) Zinc Gluconate (and) Caffeine (and) Biotin
Shadownyl® R11026	Liquid	Aqueous extract of hand-harvested fucus algae	Water (and) Fucus Vesiculosus Extract (and) Hexylene Glycol (and) Caprylyl Glycol (and) Xanthan Gum
Shadownyl® Clear BC10112	Liquid	Aqueous extract of hand-harvested fucus algae, improved in color and odor	Water (and) Fucus Vesiculosus Extract (and) Hexylene Glycol (and) Caprylyl Glycol (and) Xanthan Gum
Skinasensyl® LS 9749	Liquid	Synthetic tetrapeptide	Water (and) Glycerin (and) Coco-Glucoside (and) Acetyl Tetrapeptide-15
Skinasensyl® LS 9852	Powder	Synthetic tetrapeptide	Mannitol (and) Sodium Citrate (and) Acetyl Tetrapeptide-15
Slim-Excess® A00073	Liquid	Red Seaweed hydrolysate	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Sodium Chloride (and) Hydrolyzed Rhodophyceae Extract (and) Xanthan Gum
Smartvector® UV-CE C00013	Liquid	Release of a highly effective anti-oxidant blend of vitamins C and E under UV exposure.	Water (and) Butylene Glycol (and) Pentylene Glycol (and) Caprylic/Capric Triglyceride (and) Tocopherol (and) Ascorbyl Tetraisopalmitate (and) Carbomer (and) DNA
Speci'Men® BC 10001	Liquid	Hydro-glycerin extract of baobab leaves sustainable sourced from Burkina Faso	Glycerin (and) Water (and) Hydrolyzed Adansonia Digitata Extract
Sphingoceryl® VEG LS 9948	Liquid	Optimized lipocomplex of ceramides, glycolipids and phospholipids from sunflower	Octyldodecanol (and) Hydrogenated Coco-Glycerides (and) Helianthus Annuus (Sunflower) Seed Extract

Product Name	Aspect	Description	INCI Name
Sphingosome® Moist LS 9871	Liquid	Micellar solution combining biomimetic lipophilic and hydrophilic active ingredients	Water (and) Sodium Lactate (and) Sodium PCA (and) Mannitol (and) Lecithin (and) Sodium Cocoyl Glutamate
Sqisandryl® LS 9905	Liquid	CO ₂ supercritical extract of the Chinese "five-flavor berry" Shisandra	Schizandra Chinensis Fruit Extract
Sveltine® L00126	Liquid	Plant liposomes coated by a matrix of marine collagen and glycosaminoglycans	Water (and) Butylene Glycol (and) Carnitine (and) Pentylene Glycol (and) Lecithin (and) Caffeine (and) Carbomer (and) Salicylic Acid (and) Atelocollagen (and) Centella Asiatica Extract (and) Esculin (and) Sodium Chondroitin Sulfate
Sveltine®ST BC 10032	Powder	Hydroalcoholic extract of Purple Loosestrife	Maltodextrin (and) Lythrum Salicaria Extract
Symbiocyte® BC 10015	Liquid	Aqueous extract from the leaves of Cestrum latifolium from French Guyana	Water (and) Butylene Glycol (and) Propanediol (and) Caprylyl Glycol (and) Cestrum Latifolium Leaf Extract (and) Xanthan Gum
Syniorage® LS 9847	Powder	Synthetic tetrapeptide	Mannitol (and) Acetyl Tetrapeptide-11
Trichogen® VEG LS 9922	Liquid	Anti-hair loss optimized complex	Water (and) Arginine (and) Acetyl Tyrosine (and) PEG-12 Dimethicone (and) Calcium Pantothenate (and) Zinc Gluconate (and) Niacinamide (and) Ornithine HCl (and) Polyquaternium-11 (and) Citrulline (and) Hydrolyzed Soy Protein (and) Glucosamine HCl (and) Arctium Majus Root Extract (and) Panax Ginseng Root Extract (and) Biotin
Ultra Filling Spheres® C00487	Liquid	Dehydrated microspheres made of hyaluronic acid and glucomannan	Ethylhexyl Palmitate (and) Trihydroxystearin (and) Sodium Hyaluronate (and) Glucomannan
Vegeseryl® HGP LS 9874	Liquid	Native high molecular weight soy proteins	Water (and) Glycine Soja (Soybean) Protein (and) Sodium Cocoyl Glutamate (and) Ethylhexylglycerin
Vitacell® LS 7979	Powder	Vitalizing yeast extract	Mannitol (and) Yeast Extract
Vit-A-Like® LS 9793	Liquid	Aqueous extract of seeds of Indian Moth bean	Water (and) Vigna Aconitifolia Seed Extract (and) Sodium Cocoyl Glutamate
Vit-A-Like® LS 9898	Powder	Aqueous extract of seeds of Indian Moth bean	Vigna Aconitifolia Seed Extract (and) Maltodextrin
X-pressin® C R11021	Liquid	Stabilized protease isolated from the latex of papaya	Water (and) Papain (and) Carbomer (and) Caprylyl Glycol (and) Algin



Europe

BASF Beauty Creations

49, avenue Georges Pompidou
92593 Levallois-Perret Cedex
France

Phone: +33 (0) 1 49 64 52 09
bcs-europe@basf.com

North America

BASF Corporation
North American Regional Headquarters
100 Park Avenue
Florham Park, NJ 07932
USA

Phone: +1-800-962-7831
CosmeticsCustomerCare@basf.com

South America

BASF S.A.
Av. das Nações Unidas, 14171
Crystal Tower
04794-000 - São Paulo - SP
Brazil

Phone: +55 11 2039 2273
personal-care-sa@basf.com

Asia Pacific

BASF East Asia
Personal Care
45/F Jardine House
No.1 Connaught Place
Central, Hong Kong

Phone: +852 2731 0190
personal-care-hk@basf.com

Publisher

BASF Beauty Care Solutions France SAS
3, Rue de Seichamps - 54425 Pulnoy (France)
Email: bcs-europe@basf.com
www.carecreations.basf.com

Pictures

© BASF Beauty Care Solutions France SAS. All rights reserved.
® Registered trademark

Global Edition, March 2019

www.carecreations.basf.com

Although all statements and information in this publication are believed to be accurate and reliable, they are presented gratis and for guidance only, and risks and liability for results obtained by use of the products or application of the suggestions described are assumed by the user. SELLER MAKES NO WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, BY FACT OR LAW, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Statements or suggestions concerning possible use of the products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that toxicity data and safety measures are indicated or that other measures may not be required. The claims and supporting data provided in this publication have not been evaluated for compliance with any jurisdiction's regulatory requirements and the results reported may not be generally true under other conditions or in other matrices. Users must evaluate what claims and information are appropriate and comply with a jurisdiction's regulatory requirements. Recipient of this publication agrees to (1) indemnify and hold harmless each entity of the BASF organization for any and all regulatory action arising from recipient's use of any claims or information in this publication, including, but not limited to, use in advertising and finished product label claims, and (2) not present this publication as evidence of finished product claim substantiation to any regulatory authority.