



TEXTRON

Girona 34, 5° - 6°
 08402 Granollers (Barcelona) España
 Tel. + 34 93 860 45 00 • Fax + 34 93 870 74 62
 e-mail: texttron@plimon.com • www.plimon.com

ACNIBIO® ISOTHIAZOLINONE SYSTEMS

ACTIVE INGREDIENT INCI NAME	AC/MR /MXR	ACG	ACB	ACD	BC-7	IFG	AMB	IPM	AMT
METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE							-	-	-
BENZYL ALCOHOL	-	-	-	-			-	-	-
METHYLISOTHIAZOLINONE	-	-	-	-	-				
BENZYLISOTHIAZOLINONE	-	-	-	-	-			-	-
BRONOPOL	-	-		-	-		-	-	-
IPBC			-	-					
DIETHYLENGLYCOL	-		-	-	-		-	-	-
DIAZOLIDINYL UREA									
GLUTARALDEHYDE				-					
pH RANGE OF APPLICATION	3 to 8	3 to 8	3 to 8.5	3 to 8	3 to 8.5	3 to 8.5	4 to 10	4 to 7	2 to 12
Max. Temperature during production	40 °C	40 °C	40 °C	60°C	40 °C	40 °C	70 °C	50 °C	70 °C
DOSIFICATION % Leave-on Rinse-off	0.05 0.05-0.10	0.05 0.05-0.10	0.05-0.15 0.05-0.30	0.05-0.30 0.05-0.65	0.05-0.15 0.05-0.20	0.05-0.20 0.05-0.40	0.10-0.30	0.05-0.20	0.05-0.10



TEXTRON

Girona 34, 5° - 6°
 08402 Granollers (Barcelona) España
 Tel. + 34 93 860 45 00 • Fax + 34 93 870 74 62
 e-mail: texttron@plimon.com • www.plimon.com

ACNIBIO® PARABEN SYSTEMS

ACTIVE INGREDIENT INCI NAME	AP	AP-4	APA	AP-5K	AP-6	AP-11	AP-12	AMP	PB	DIM
METHYL PARABEN										
ETHYL PARABEN						-	-		-	-
PROPYL PARABEN										-
BUTYL PARABEN				-	-	-	-	-	-	-
ISOBUTYL PARABEN			-	-	-	-	-	-	-	-
DIAZOLIDINYL UREA	-	-	-	-	-		-	-	-	
IPBC	-	-	-	-	-	-	-	-	-	
BRONOPOL	-	-	-	-	-	-	-	-		-
PROPYLENGLYCOL	-	-		-	-				-	
PHENOXYETHANOL					-	-	-			-
	-	-	-	-	-	-	-		-	-
pH RANGE OF APPLICATION	3 to 8	3 to 8	3 to 8	3 to 8	3 to 8	3 to 8	3 to 8	3 to 8	4 to 8	3 to 8.0
Max. Temperature during production	80 °C	80 °C	80 °C	80 °C	80 °C	40 °C	80 °C	40 °C	40 °C	50 °C
DOSIFICATION % Leave-on Rinse-off	0.50-1.00 0.25-0.70	0.50-1.00 0.25-0.70	0.50-1.00 0.25-0.70	0.50-1.00 0.25-0.70	0.25-1.00 0.40-0.70	0.50-1.00 0.25-0.70	0.50-1.00 0.25-0.70	0.02-0.10	0.50-1.00 0.25-0.70	0.10-0.75





TEXTRON

Girona 34, 5° - 6°
 08402 Granollers (Barcelona) España
 Tel. + 34 93 860 45 00 • Fax + 34 93 870 74 62
 e-mail: texttron@plimon.com • www.plimon.com

ACNIBIO® PARABEN-FREE SYSTEMS

ACTIVE INGREDIENT INCI NAME	CFS	CFS-P	CFS-C	CFS-OS	CFS-US	AS	ASL	ASP	ASP2
CHLORPHENESIN						-	-	-	-
BENZOIC ACID						-	-	-	-
SORBIC ACID			-			-	-	-	-
PHENOXYETHANOL				-		-	-		
GLYCOL			-		-	-			
IPBC	-	-	-	-	-				
DIAZOLIDINYL UREA	-	-	-	-	-			-	-
pH RANGE OF APPLICATION	3.5 to 6.5	3.5 to 6.5	3.5 to 6.5	3.5 to 6.5	3.5 to 6.5	3 to 8.5	3 to 8.5	4.5 to 8.5	4.5 to 8.5
Max. Temperature during production	55 °C	55 °C	55 °C	55 °C	55 °C	50 °C	50 °C	50 °C	50 °C
DOSIFICATION % Leave-on Rinse-off	0.60-1.20	0.60-1.20	0.60-1.30	0.60-1.50	0.60-1.50	0.05-0.20	0.10-0.50	0.10-0.20 0.20-0.40	0.30-0.50 0.60-1.00

ACNIBIO® PARABEN-FREE & HALOGEN-FREE SYSTEMS

ACTIVE INGREDIENT INCI NAME	SR4-L	SR4L MAGNOLIA	SR4L OLIVE LEAF	PHS	OCS*	DH
BENZOIC ACID/SALT	-	-	-	-		-
SORBIC ACID/SALT	-	-	-			-
GLYCERYL CAPRYLATE				-	-	-
PHENOXYETHANOL					-	-
DIMETHYL DIMETHYLOL HYDANTION	-	-	-	-	-	
NATURAL BIOCIDAL EXTRACT	-			-	-	-
pH RANGE OF APPLICATION	3.5 to 10	3.5 to 10	3.5 to 10	3.5 to 5.5	3.5 to 5.0	2.0 to 10
Max. Temperature during production	80 °C	60 °C	60 °C	80 °C	80 °C	60 °C
DOSIFICATION % Leave-on Rinse-off	1.5 - 4.0	1.5 - 4.0	1.5 - 4.0	0.5 - 1.5	0.5 - 1.0	0.15 - 0.6

* Suitable for organic cosmetics